











Basic = Intermediate = Advanced

## Neurological assessment: level of consciousness: (PED)

If >2 years old		
Eye opening:	Motor:	Verbal:
<input type="radio"/> None <input type="radio"/> To pain <input type="radio"/> To voice <input type="radio"/> Spontaneously	<input type="radio"/> None <input type="radio"/> Extension pain <input type="radio"/> Flexion pain <input type="radio"/> Withdraws pain <input type="radio"/> Localizes pain <input type="radio"/> Obeys command	<input type="radio"/> None <input type="radio"/> Incomprehensible sound <input type="radio"/> Inappropriate words <input type="radio"/> Confused <input type="radio"/> Oriented
<input type="radio"/> Untestable: <input type="radio"/> Closed to swelling <input type="radio"/> Other <input type="radio"/> Unknown	<input type="radio"/> Untestable: <input type="radio"/> Deep sedation/Paralysis <input type="radio"/> Other <input type="radio"/> Unknown	<input type="radio"/> Untestable: <input type="radio"/> Tracheostomy/endotrach tube <input type="radio"/> Other <input type="radio"/> Unknown

If <2 years old		
Eye opening:	Motor:	Verbal:
<input type="radio"/> None <input type="radio"/> To pain <input type="radio"/> To voice <input type="radio"/> Spontaneously	<input type="radio"/> None <input type="radio"/> Abnormal extension <input type="radio"/> Abnormal flexion <input type="radio"/> Withdraws to pain <input type="radio"/> Withdraws to touch <input type="radio"/> Normal spontaneous move	<input type="radio"/> None <input type="radio"/> Moans to pain <input type="radio"/> Cries to pain <input type="radio"/> Irritable cry <input type="radio"/> Coos, babbles
<input type="radio"/> Untestable: <input type="radio"/> Closed to swelling <input type="radio"/> Other <input type="radio"/> Unknown	<input type="radio"/> Untestable: <input type="radio"/> Deep sedation/Paralysis <input type="radio"/> Other <input type="radio"/> Unknown	<input type="radio"/> Untestable: <input type="radio"/> Tracheostomy/endotrach tube <input type="radio"/> Other <input type="radio"/> Unknown

## Neurological assessment - Pupils:

Pupils:							
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">1 </div> <div style="text-align: center;">2 </div> <div style="text-align: center;">3 </div> <div style="text-align: center;">4 </div> <div style="text-align: center;">5 </div> <div style="text-align: center;">6 </div> <div style="text-align: center;">7 </div> <div style="text-align: center;">8 </div> <div style="text-align: center;">9 </div> <div style="text-align: center;">10 </div> </div>	<table border="1"> <thead> <tr> <th>Left eye:</th> <th>Right eye:</th> </tr> </thead> <tbody> <tr> <td> <b>Reactivity:</b>  <input type="radio"/> - Negative  <input type="radio"/> + Positive                             </td> <td> <b>Reactivity:</b>  <input type="radio"/> - Negative  <input type="radio"/> + Positive                             </td> </tr> <tr> <td> <b>Size: (1-9 mm)</b>  <input type="checkbox"/> <input type="radio"/> Untestable  <input type="checkbox"/> <input type="radio"/> Unknown                             </td> <td> <b>Size: (1-9 mm)</b>  <input type="checkbox"/> <input type="radio"/> Untestable  <input type="checkbox"/> <input type="radio"/> Unknown                             </td> </tr> </tbody> </table>	Left eye:	Right eye:	<b>Reactivity:</b> <input type="radio"/> - Negative <input type="radio"/> + Positive	<b>Reactivity:</b> <input type="radio"/> - Negative <input type="radio"/> + Positive	<b>Size: (1-9 mm)</b> <input type="checkbox"/> <input type="radio"/> Untestable <input type="checkbox"/> <input type="radio"/> Unknown	<b>Size: (1-9 mm)</b> <input type="checkbox"/> <input type="radio"/> Untestable <input type="checkbox"/> <input type="radio"/> Unknown
Left eye:	Right eye:						
<b>Reactivity:</b> <input type="radio"/> - Negative <input type="radio"/> + Positive	<b>Reactivity:</b> <input type="radio"/> - Negative <input type="radio"/> + Positive						
<b>Size: (1-9 mm)</b> <input type="checkbox"/> <input type="radio"/> Untestable <input type="checkbox"/> <input type="radio"/> Unknown	<b>Size: (1-9 mm)</b> <input type="checkbox"/> <input type="radio"/> Untestable <input type="checkbox"/> <input type="radio"/> Unknown						